Lego 40433

1989 Batmobile

Installation Guide

GLOW BRICKS



First of all take the trans yellow 1x2 plates away



Install the lighting 1x2 plates (mind the direction of the wires)
Then detach the parts shown in red circle a little to stuck the wire into the gap



Beware of the wire, has to be in between the studs before combining the plate to avoid breaking the wire



Then detach the parts as shown to pull the remain lighting parts inside the cockpit



Then restore the archs and let the wires sit underneath



Restore the guns and install the lighting round plates



Pull the remain lighting in the cockpit and install as shown

Before installing the remain light bulbs, detach the parts shown



Pull the bulbs out of the vehicle from this hole



Split the bucket part, put the bulb on the 2x2 then restore the bucket



Restore all the parts then the front part is done



For the rear side of the car, detach these parts and we don’t need the L-shape parts



Combine the lighting parts with the parts detached from previous step



Install the lighting parts as shown





Restore the parts of the rear side, pull the connector to the bottom
Then remove any side of the bucket part



The lighting set can be powered by battery of USB cable
By battery, stuck the connector from previous step inside the car by the hole shown



Then connect with the battery case
*The CR2032 battery are sold seperately



By USB cable, pull the connectors outside the car by the hole, hide the connectors behind the bucket when restoring it