

Lego 31026

Bike Shop & Café


LED Installation Guide



Bike shop



31026 Bike shop light (dark red roof, white and blue building)



Remove the bicycle




Install the bicycle light above the window, then put the bicycle back




Remove the clear yellow plate above the loading ramp



Detach the building



Pass the ramp light above the gate




Install the light and put the building back




Install the workshop light




Pass all the other light parts to upstairs through the ladder hole






Detach half roof




Pass the black light part to the roof




Remove the barbecue oven





Replace the 2 x 2 round black plate with light part




Install the 1 x 6 light plate




Replace the clear yellow plate with light part





Detach the roof







Remove the parts above the window




Replace the 2 x 4 black plate with light part





Replace 3 clear yellow plates with light parts




Plug in and done




Café






31026 Cafe light (blue roof, tan and brown building)






Install the 1 x 6 light plate above the cashier





Detach the roof



Replace the 2 x 4 gray plate with light part




Replace the clear yellow plate with light part








Replace the clear orange plate of the mushroom lamp






Detach the room above the cafe






Install the 1 x 4 light part




Replace the 2 x 6 plate of the fence with light part



Attach the fence and 1 x 12 plate to the room




Put the room back, aware the wire






Replace the clear yellow plate with light part






Detach the roof of balcony




Replace the 2 x 4 gray plate with light part




Put the roof back, then install the 1 x 4 light part




Remove the hinge plate





Fix the wire under the hinge plate



Plug in and done

