





Decoration light



Take off the roof



Remove some parts first



Remove the bell tower





Remove the 1 x 4 grey plates





Remove the "1932"



Remove the 1 x 8 tile at the front





Roof lights



Hold the Left plate like this to fold the wire on both side



Install the Left light



Install the "1932" light part at the front, put the wire under the 1 x 2 tiles



Fold the wire of Right plate, Install the Right light



Pass the Bell light through the bottom of the tower





Put the "1932" part back



Put the bell tower back



Put the other parts back







Put the roof back and start the ground floor





Remove the 1 x 8 tile on both sides



Flip up the edge along the front side









Take off the technic bar



Remove the 1 x 6 plates



Remove the L shape plates



Pull up the wall from the top of the window frame slowly





Take off the left corner also





Install the right window light





Lift up a bit and take out the wall light part



Replace the clear yellow brick with the right wall light, then press the wire gently by the brick separartor



Put the wire in between and put the wall light back





Install the left wall light





Install the left window light



Put the right corner back





Replace the 2 x 4 plate above the helmet by right helmet light





Put the left corner back and install the left helmet light



Put back all the parts







Indoor light



Ceiling of ground floor



Install first light plate on the right, and second on the left



Pass the other 2 to upper floor





Street pole light



Put the wire under the baseplate



Fire truck light



Remove some parts







Push up the bumper







Install the clear yellow lights





Put the bumper back



Put the parts back and fix the wire by the wheel plate at the front



Remove the siren light



Pass the siren light from the back wheel







Remove some parts for the rear lights







Remove both clear red plates



Install the red light parts for rear lights









Put all the parts back



Plug in and done

