## Lego 10190

# Danker Sincer

### LED Installation Guide







Separate the building




Market







Remove the roof



Flip over and install 2 light plates with the clear light brick at the front



#### Remove the light from the market



Move the white dish to the clear light brick



Put the roof back and install the light



#### Move the connector to the back



First floor







#### Remove tiles on both sides



Remove some parts











Lift up the grey arch







Remove the arch and awning



Replace the arch with light part







Put the arch and awning back, press the wire by brick separator




Put the blue brick back





Remove 2 plates in the middle



Install the light plates






Put the parts back





Move the gray light plate to the bottom







#### Second floor





Remove the edge at front



Replace the arch with light part





Wire on top






Put the edge back and move the gray light plates to the bottom





Third floor






Take off the roof




Remove 4 pieces 1x6 tiles



Detach the black bricks above the window




Replace the gray plate with light parts




Put the black bricks back





#### Remove the front wall





Remove some parts






Install the white light plate beneath the awning



Put 2 gray light plates and connector inside the house




#### Put the white awning back





Install the blue light plate beneath the lion head





#### Put the black brick and wall back






Put the tiles back




#### Install the roof light



Install 2 gray light plates at the bottom







#### Street pole




Put the wire under the base plate and move the connector to the back





#### Connect the plugs to USB



Plug in the USB and done

