

Lego 21028

New York

Installation Guide







First of all take the tan building out and take this lighting part




Detach the building as shown
(The bricks in red circle will be replaced by the lighting part)



Install the lighting 1x2 brick as shown




Then install the other 1x2 lighting brick
(double check make sure the 2 leds are located in the red circle)




Then restore the parts detached at page 3 back to the building




Now detach the building as shown
The bricks in red circle will be replaced by the lighting parts



Take 2pcs of 1x1 plates from previous step, combine will the lighting bricks then put on the building



Restore the parts as shown




Then install it layer by layer







Then the 3 pieces of 1x1 lighting bricks




Detach the top as shown and the brick in red circle will be taken away



Then restore the parts (make sure the lights are formed as a T-shaped)



Install the clear round plate as shown and put the wire behind



Restore all the parts back then the tan building part is done





Then detach the statue as shown


Use the lighting round plates to replace the tan round plates from the model




Install the round plates and leave the end one to put under the statue



Now take the white building out and combine with this lighting part




Split the bottom of the building, take the 2pcs of clear 1x2 and replace by the lighting plates next the the connector



Detach the parts as shown and take the 1x2 plates away




Replace the plates by the lighting plates and combine the building





Split the top two layer from the building, take the 2x3 white plate away
Then install the lighting 2x3 plate



Restore the building
And double check the view from behind to confirm the lighting plates are installed in proper place




Now it's the turn for the upper part of the building
Detach it as shown (the 1x2 plates in red circle will be replaced by the lighting parts)




The lighting plates are installed in this way then combine the building
Then detach the grey top to install the lighting round plates




Install the lighting round plates as shown




Then the white building is done (this is the view from behind)




Now take the tile from the grey building and replaced by the lighting part in red circle



Pull the clear round plate to the top and the wire can be hidden behind the tiles of the building, then install as shown in red circle



The 2x4 lighting plate will be installed on the small building beside as shown



Connect all the plugs to the USB cable and that's done
(The plug from previous step connect to the white building)

