
IEGO 10224


TOWN HILL

LED Installation Guide















Loosen the left corner brick



Push up



Right side




Take off the pediment





Windows light




Loosen the wall




Take out the corner brick





Take out the parts above the window





Move the parts to the light 2x4 plate







Put the light part back





Put the corner brick back



Repeat the steps on the other side












Remove 2 tiles above the pediment



Take off the part behind the pediment









Take off the blck top




Pediment lights





Replace 8 pieces 1x1 plate with light parts





Entrance light













Put back the pediment without the black top





Remove the gray tile and black tile








Put the black top back and install the black tile light on pediment





Put the gray tile back








Desk lamp



Replace the clear plate with light part



Wall lights





Replace the clear brick with light parts















Windows light






Take our the parts above the windows






Move the part to the light parts












Put the parts back




Replace the clear plate of desk lamp with light part






Ground ceiling light













Windows light



Remove some parts



Lift the windows from inside







Take out the brown bricks







Repeat the steps on the other side



First floor ceiling light and planter light







Planter light (white plate)



Remove the table and partial of fence








Put the table and fence back











Clock tower light



Take off the tower




Remove some parts





Replace the 2 x 4 plate with light part






Pass 2 white plates through to the bell

















Aware the light plates direction




Put the parts back









Replace the 2-stud plate with light part



Put the tower back



Second floor ceiling light




Remove the 1x2 tile in the middle of roof widnows







Open the windows carefully and pass the light plates through



Close the window and put the parts back






Assembly the building and connect all the mini plugs to the USB



Street pole



Remove the 2 x 4 tile



Move the wire under the baseplate to the back of the building



Plug in and done!

