

Lego 10267

Gingerbread House

Installation Guide




Before installing the x'mas tree lights, break up the tree first



Install the lights as shown, replace the lighting round plates to the tree (trans-orange replace the gold round plate)



Put the green plates with lights on, adjust the wires then put the remain green plates




Then put the remain lighting round plates on then the tree is done



Start with taking the front door out as shown



Then assemble the lamps of the front door with the lighting black round plates




Then install the lamps and the 1x4 light as shown




Put the door back and beware the wire has to be in between the studs or it will be broken



Before assembling the flames to the fireplace, take the following parts away



Assemble the flames



Then restore the outer side of the fireplace first



To restore the fence, first we insert as shown then push it upward



After restoring the fireplace, install the candles and ceiling lights as shown




Then put the sofa back



Pull the connector out as shown and leave it



To pull the remain lighting parts to the 2nd floor, remove the parts as shown first



Pull the lighting parts to 2nd floor, to make it looks nicer you can hide cable as shown



Then install the 1x6 lighting part



Then remove this part in purpose to let the wires go through



The 1x2 lighting part is installed in the red circle area



Pull the remain lighting parts over and replace the lamp parts



Then install the lamp and the lighting plates




Restore the part back then we can go to the next step



Take the white plates away



The long lighting plate is installed as shown



Before install the lighting parts, you can take the smoke pipe the these white parts away first to make it looks better and easier to connect to the other side



Now you can install the remain light




Install the lights then connect the wires



The connectors can be hidden as shown, then put the smoke pipe back



Remove the parts and white plates as shown to install the lights



Hide the wire to make it look better the put the roof back



Then connect all the connectors to the USB cable and light them up

