

# Lego 10297

## Boutique Hotel

*Installation Guide*





Let's start from the top of the building, take the shown lighting parts be ready



Take out the top and assemble with the lighting part with light bulb only



Assemble the grey lighting plates on the ceiling  
\*Please assemble them exactly same position as this picture, otherwise you might not able to restore the building



Restore the top and you may hide the wires in between the studs under of it



For the remain white lighting plate, it has to be assembled on the lower level at the balcony, take the shown part away



Assemble the white lighting plates, then put this layer aside




Now it's turn for the top level, take the lighting parts with white lighting plates only



Assemble the lights underneath, again follow the position same as the picture



There would be 2 connectors, pull the longer one through the hole in purpose to connect with the roof ceiling lights



Now you can connect with the roof by connecting the wires



And please restore the balcony, you may take the tan plate off to let the wire pass through then put it back after




To assemble the middle level, take the lighting parts shown



Assemble the lighting plates at the bottom

\*Please assemble them exactly same position as this picture, otherwise you might not able to restore the building





For the two connectors, pull the shorter one through the top to connect with upper level, and pull the longer one out of the building body




Connect it with the 3<sup>rd</sup> floor



For the remain lighting black round plates, they would be used to assemble on the two lamps at the front door



Replace the black round plates on the lamps and restore the lamp (you may cut the stick to make it fit to the lamp)




After the lamp is back to the position you can restore the building



Take the remain lighting parts to assemble them on the shop attached



Start by removing the top and the shown parts



Replace the yellow round plates and the brown cones by the lighting parts




Then put them back to the position



Now assemble the white lighting plates underneath the top as ceiling lights





Take out the blue parts on the front door, assemble the blue lighting plates on it  
Then restore them



There would be 2 connectors be pulled out of the building



At last, replace the lamppost by the lighting lamppost, connect all three connectors to the USB cable then you can light it up

