


# Lego 75329




## **Death Star Trench** **Run Diorama** *Installation Guide*







Start from the X-wing, take the shown lighting parts and detach the grey round plates from the X-wing




Assemble the white lighting plate at the front with the clear grey slope  
Remove one wing from the plane in purpose to hide the wire inside the gap




Then combine the lighting diamonds with the grey round plates and put them back to the plane




The lights for X-wing is done, then put it aside




Now take this lighting parts for the cannon




Assemble the two lighting round plates at the end to the cannon




The wire can be hidden in between the shown plates



Then assemble the remain lighting round plate on the wall




Now put the X-wing back to the base and pull all the wire to the back  
The wire from X-wing can be stabled by the black tile at the edge




This lighting parts would be installed with the fighter at the corner without laser beam attached, we would use the black plate and the grey brick to replace the certain position of the fighter




Check out the position, the led should be facing the wall when you put it back to base



Then assemble the remain two lighting round plates on the wall




At last, the remain lighting parts will be used for the two fighters with laser beam  
Detach the fighters and take the brick at the center away






Replace the brick and the green bar by the lighting parts to rebuild the fighters  
And place the lighting round brick to the shown position



Place the fighters back to the base and stable the wire by the tile



Finally, connect three connectors to the USB then you can light it up

