Lego 10308

Holiday Main Street

Installation Guide







Take this lighting part to assemble on the tree, separate the tree as shown



Remove the clear yellow round plates and the top green cone and replace by the lighting part, beware don't push the yellow bar to deep which would damage the light inside the cone. Then assemble the lighting yellow round plates on one side



Restore one side with lights, then restore another side with lights assembled




Keep going to assemble the four sides then it's done






Now it's turn for the lamp post



Replace the lamp post, take one side of the clock out, place the wire in between the studs then stable by the clock







Take the lighting plates and two black round plates



Detach the tram as shown




Place the led bulb inside the top hole




Stable the wire by the round plate



Do that procedure for both ends




Restore both ends and beware the position of the connector



Assemble the lighting plates and put the top back



To power up connect the connector with the battery case







Take the lighting parts with two yellow round blocks for this house



Split the house and take away the lamps and detach them




Reassemble the lamps by the lighting round blocks



Take away the shown parts of the front door then restore the lamps




Then take the red and green lighting round plates to assemble them




Then restore the removed parts



Move the remain lighting parts to 2nd floor Take the 4x6 plate from the 2nd floor to stable them



Now restore the whole 2nd floor back



Assemble the lighting plate and the candle fire



Now it's the turn for the other house




Firstly, take away the x'mas tree and assemble the lighting round plates on it




Put the tree back and start assembling other lights, start by the brown 1x4 plates



Then assemble the yellow lighting round plate to the lamp



Then assemble the lighting 1x8 plate to the bottom of 2^{nd} floor



Remove the front door from the 1st floor, and move the remind lights out of the house



Move the connector to outside as well, and place the wire in between the studs before restoring the $2^{\rm nd}$ floor



After that assemble the lighting round plates on the front door



At last, connect all the connectors to the USB cable *The remain connector can be used for the tram

