


# Lego 10312

## JAZZ CLUB

### *Installation Guide*





Let's start from the first level, take the shown lighting parts be ready




Detach and separate the shown parts as shown



Remove the shown tiles and take the lighting round brick at the end to replace the lamp



Get the shown part, remove all the yellow rounds and replace them by the lighting parts, assemble it as shown



Restore the front door and be careful the wires have to be placed in between the studs





Now place the front door back to the building, and place the remain round plates on the side to assemble on the lamps  
\*Remove the shown parts first to place the wires inside the wall  
can hide the wires in purpose to make the model looks better



Restore the wall and assemble the lighting round plates on the lights after that




Assemble white lighting lamp and the yellow lamp, then place the wire in between the studs and put the removed tiles back on it



Replace the white lamp and the yellow round plates on the spot lights by the lighting parts



Then lift off the bricks above the door a little bit to pass through the remain yellow lighting plate to replace the round plate



At last, move the led bar to the sign area, lift off the sign to place the wire underneath



Then stick the led bar on the sign and restore the cover right after






Now it's turn for the second floor, take the shown lighting parts be ready



Assemble the lights at the bottom and make sure to place the lights exactly the same way as shown



Now combine the 1<sup>st</sup> and 2<sup>nd</sup> floor, connect the plugs as shown




Place the other connector to the above level, then combine the floors and leave the plug at the stairway




Now take the remain three lighting parts for the corresponding part of the house




Assemble the lighting plates to the bottom of 3<sup>rd</sup> floor



Assemble for the other side of 3<sup>rd</sup> floor




The remain light will be assembled on the top, move it to the shown position and cover the wire by the tiles





Then put the greenhouse back on it




Now it's turn for the roof, assemble the longer lighting plates first




Remove the shown parts and move the remain lighting 1x2 plates to the front and assemble them as shown





To combine the roof and 3<sup>rd</sup> floor, start by moving the plug of the 3<sup>rd</sup> floor to the above level



Then connect the cables with the roof



Combine with the 2<sup>nd</sup> floor by connecting the plug mentioned on page 10





Connect with the 3<sup>rd</sup> floor with greenhouse attached



At last, replace the lamppost by the lighting lamppost, connect two connectors to the USB cable then you can light it up

