# Lego 10307

Eiffel Tower 🇫🇷

Installation Guide

First of all, the lighting sets are separated by 2 bags, we'll define them as A and B parts

Split the tower as shown and part A would be for the the bottom half

Take the lighting part with USB plug for the most bottom part of the tower

To make it looks clear, I would remove the top to do the demonstration
But this step is not necessary, you may just assemble the lights rightaway

Start assembling the lighting plates next to the USB plug, assembling from the bottom would be easier

Then cross the lights to the next corner, do the same thing to assemble the lights and leave the connector to the top

Now cross the remain lights to the other side and do the same thing to assemble them

Then restore the whole base if you have removed the top before
And remember to leave the connect up to the top
The wire connecting the plug is better to be clipped in between the fences as shown
Otherwise it might not long enough

Now it's turn for the 2nd level, same as previous step start assembling from the side with connector attached

Then assemble the lights on the closers side


And move the remain lights to the opposite side to assemble them

Now you may combine the 1st and 2nd level of the tower

Remember to connect the plugs in between two levels, then these two level would be light up by this USB cable

Now for part B, split the upper tower as shown and they would be matched up by the corresponding lighting parts


Start from the bottom one, detach the shown layer first

Start assembling from the lighting plates with connector attached
Assemble them at the shown spot

Then assemble the lights to the other side
Leave the connector out of the tower then restore the outer layer

For the upper level, it's very simple just unlock the shown three layers then assemble the lights on it


Then restore the layers, put out the connectors for both of the top and bottom ends

Combine the tower, connect the plugs and hide it inside the tower


Detach the top part of the tower before assembling

Start from removing the clear plates and replace them by the lighting plates


Split the part and assemble the 1x4 lighting plates as shown

Restore the tower and leave the connector out from the middle

Restore the layers and assemble the lighting round plates at the shown corners

Then assemble the remain lighting round plates

At last, lift the lighting flag to the top to replace it

Connect the plug in between two levels then combine them

Finally, reunion the whole tower then you can light up by the USB cables