


Lego 10321




CORVETTE *Installation Guide*







Start assembling the rear light, remove the shown parts first




Replace the clear red parts on the brake lights by the lighting parts




Place the wires in between the lights properly make sure they're not placed on the studs then restore the parts





Turn to the front side, remove the shown parts to assemble the lights at the front




Turn the car upside down then place the wires at the bottom




Get the lights on one side through the hole beside the tires to get it on the surface



Place the wire connecting the light bulbs in between the studs




Adjust the length, don't make it too many wires disposed then restore the parts to stable it




Put the inner side of the light cover, if there's too much wire the cover won't be attached tight, you need to lift up the part on last step and adjust the length. If it looks ok like the picture below you can put the other cover back on



Now do the same thing for the other side





The steps are basically same as the previous one



Restore the engine cover, and you should not see any cable disposed then this part is done




Remove the black plate at the bottom, place the wire in between the studs to stable it then put the plate back




Assemble the red lighting plate as shown then put the top back on the car




Remove the shown part on the side, place the wire in between the studs then put the part back on







Now gather three connectors at the rear side at the bottom
There's a hole at the corner of the trunk to move the connector of
the rear light out




Connect the plugs then you may light it up




If you want to make the car convertible, you may place the lighting plate at the bottom or you can take it away of course




If you want to power up by battery, you need to place the battery case inside the trunk, remove the right rear bumper then place the connectors from the case through the hole




Then connect with the plugs from the lights




After the plugs connected, place the battery case inside the trunk




Its pretty tight but I'm sure the case could be placed inside the trunk



Remove the shown parts if you want to put the hard cover with light on



Place the wire in between the red tile and the grey plate



Place the hard cover on the car, connect the cable to the battery case



Restore the cover and it's done

