


Lego 76417

Harry Potter

Gringotts Wizarding Bank

Installation Guide (Part B)






Start assembling from the bottom by part E




Take the 1x6 lighting plate at the end, assemble it under the shown location



Then the 1x2 lighting plate at the end would be installed at the shown place
The wire could be stabilized by the bricks on the way (follow by the red line)




Remove some parts at the red circle area to stick the led bar inside the room
(The red line is path of the wire from the 1x6 lighting plate to the led bar)




The lighting round brick attached to the led bar would replace the round brick at the pole nearby, open the black plate as shown to make the lighting part get through



After the lighting round brick, move the remain lights to behind and restore the removed parts




Take out the room besides the waterfall, install the 1x2 lighting plate at the room



*The connector attached to 1x2 should be facing the blue arrow direction


Remove the track then move the lighting round tile to replace the one on the handle




Move the connector out and face the top, now the installation for this part is done



Take out the room, get the lighting part F and install the 1x2 lighting plate by the shown direction then install the lighting round brick at the red circle




Put the room back, connect the plugs with part E and install the lighting round brick




For the remain lighting round brick, remove the shown parts to place the wire between the studs then install the round brick



Restore the parts mentioned at the last step to stable the wire then move the lighting round tile to the handle



Move the handle to make sure the wire is long enough




Move the 1x6 lighting plate to the top and assemble it as shown



The wire can be hidden by the plate



Move and install the 1x3 lighting plate to the next side, hide the wires by the parts on the path



Repeat the same procedure to move and install the rest two lighting plates

