


Lego 21351



Installation Guide






Take lighting part A to assemble at the left side of the model




Take out the pumpkins and the orange lighting round plates from the lighting part A, assemble them under the pumpkins




Restore the pumpkins, assemble the led plate sticks on a 1x1 tile on the shown place right in front of the "RIP" gravestone



The wire with connector attached would be moved to behind of the model by the corner



Then assemble the remain lighting parts as shown



Assemble the lighting part B to the middle part of the model



Assemble them on two sides of the ladder



Lift up the ladder then place the wire between the led plates in between the studs



Then the lighting part B is installed




Then take lighting part C for the right side of the model



Start by removing the shown parts to install on the pool



Assemble the lighting round plates on the pool evenly and it's better to place the wires at the bottom



Restore the pool, place the connector out to behind of the model and hide the wire by the wall




Now take lighting part D to assemble on right side of the model



Remove the roof, take out the top side and stick the led plate as shown



Restore the blocks in the middle only and replace the flames by the lighting flames




Put the roof back on and assemble the lighting plate as the ceiling light




Take lighting part E to assemble at the middle part of the model



Take the lighting round plates assemble them on the tree, the one connecting to the 1x2 lighting plate would be assembled right besides the wall



After the lighting round plates are assembled, place the 1x2 lighting plate on middle of the house, then move the 1x4 lighting plate out to the front door and stable the wire by the tiles



Restore upstairs then assemble the 1x4 lighting plate




Stable the 1x2 lighting plates on the ceiling



The remain lighting parts would be moved to the top of the house, remove the roof to let them get through



Take one side of the roof, assemble the lighting plate as shown




Then assemble the other side



Close up the roof, move the lighting round plate to assemble it on the chimney



Now you may combine the model and connect the plugs in between them



Place the spot light right behind the moon, then you can connect all four connectors to the USB cable to light up the model

