


Lego 10352

The Simpsons: Krusty Burger

Installation Guide








Take the car remove the front bumper and the 1x2 plates with the tiles on them then assemble lighting part A on it




Start by assembling the 1x2 lighting plates of the lighting part to replace the pink plates, place the wires in between the green studs then restore the bumper




Then move the remain lights to the rear and remove the shown parts




Insert the led bulbs inside the hole of the grey plates from behind





Get the led through the hole, put the grey plate back on the car and press the led bulbs inside the hole



Place the 2nd floor back on top. remove the shown blocks then





Assemble the other pair of led bulbs by the same way then restore the red tiles and the rear bumper



Before assembling lighting part B, detach the shown parts



Assemble the lighting round plates on the board as shown
Hide the wire by covering the removed parts before




Restore the removed parts then assembling of lighting part B is done



Assemble lighting part C inside the restaurant



Get the grey lighting brick at the end, take away the stove and remove the 1x3 grey brick of it



Place the 3 pieces of 1x1 plates on the lighting brick then restore it with the stoves



Remove the bricks on the top



Assemble the 1x2 lighting plates as shown



Restore the top besides, then place the wire under the tiles to stable by the studs





Take out the ball pool and assemble the red lighting plates



Put the ball pool back and assemble the next three 1x2 lighting plates



Take out the top and place the wire in between the studs then assemble the next lighting plates




Then restore the top



Remove the shown parts then move the remain lighting parts inside the washroom and assemble one lighting plate



Then assemble the remain two lighting plates



Remove the shown parts in red circle then move the led strip inside and stick above the drive-thru menu



At last, gather three connectors and connect with the USB

